

-DRAWINGS ARE NOT TO SCALE  
 -ALL MEASUREMENTS ARE IN MILLIMETERS UNLESS OTHERWISE STATED  
 -FOR UP TO DATE DRAWINGS PLEASE CHECK WYNDHAM CITY COUNCIL WEB SITE.  
 -ALL STANDARD DRAWINGS TO BE USED IN CONJUNCTION WITH SD1-1 (STANDARD DRAWINGS CONDITIONS OF USE).

GENERAL NOTES:

Rev	Amendments	Approved	Date



Engineering Services Approval No.: ES001

Date : 21/05/09

**SD11-5A**


Drawing No.

Revision : A

Drawn Date : 01/07/04

Cad File : SD11-5A.DWG

**NOISE ABSORBING  
HIGH WIND TREATED PINE FENCE**



**NOTES:**  
 01. POSTS ARE TO BE INSTALLED AT ALL INTERSECTING TITLE BOUNDARIES AND A COMPLETE WIND OF STANDARD PALING FENCE @ 1.800MM HEIGHT.  
 02. WHERE FENCE ABUTTS EASEMENTS, OR IN HIGH WIND AREAS (AS DETERMINED BY A COUNCIL OFFICER) POST DEPTH TO BE INCREASED TO 1200MM.  
 03. CONCRETE STRENGTH OF 25MPA AT 28 DAYS.