


### TYPICAL CROSS SECTION

#### NOTES:

1. COMPACTION TESTS TO BE UNDERTAKEN BY A NATA REGISTERED TESTER FOR SEWER AND DRAINAGE TRENCH BACKFILL. RESULTS TO BE FORWARDED TO WYNDHAM CITY COUNCIL'S WORKS SUPERVISING OFFICER.
2. REFER TO WYNDHAM CITY COUNCIL'S GENERAL SPECIFICATIONS, SECTION 701, FOR DETAILS ON MATERIALS AND COMPACTION CRITERIA.
3. DEPTH OF CLASS 3 BACKFILLING REQUIRED TO BE SHOWN ON SEWER PLAN LONGSECTIONS.
4. BACKFILLING REQUIREMENT APPLIES TO ALL EXISTING AND FUTURE SEWERS.

Drawing name: I:\Roads Shared\Standard Dwg Review 2007\SD6-10.dwg (22 May, 2009)

Rev	Amendments	Approved	Date		SEWER TRENCH BACKFILLING SPECIFICATION		Cad File : SD6-10.DWG
B	Minor Drafting Modifications, deleted note 5.		16-05-07		FOR DRAINS IN CLOSE PROXIMITY (SEE TABLE) (EXCLUDING UNDER PAVEMENTS)	Engineering Services Approval No.: ES001	Date : 21/05/09
<b>SD6-10</b>							

GENERAL NOTES:

- DRAWINGS ARE NOT TO SCALE.
- ALL MEASUREMENTS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
- FOR UP TO DATE DRAWINGS PLEASE CHECK WYNDHAM CITY COUNCIL WEB SITE.
- ALL STANDARD DRAWINGS TO BE USED IN CONJUNCTION WITH SD1-1 (STANDARD DRAWINGS CONDITIONS OF USE).