

GENERAL NOTES:

-DRAWINGS ARE NOT TO SCALE  
 -ALL MEASUREMENTS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.  
 -FOR UP TO DATE DRAWINGS PLEASE CHECK WYNDHAM CITY COUNCIL WEB SITE.  
 -ALL STANDARD DRAWINGS TO BE USED IN CONJUNCTION WITH SD-1 (STANDARD DRAWINGS CONDITIONS OF USE).

Rev	Amendments	Approved	Date
B	Service offsets changed		20-01-10



**ROAD & STREET CROSS SECTION  
 (FOR PARK RESERVES)**

Engineering Services Approval No.: ES001

Date: 21/05/09

Drawing No. **SD8-1B**

Drawing No.

Revision: **B**

Drawn Date: 02/02/09

Cad File: SD8-1B.DWG

- NOTES:
1. SERVICE OFFSETS TO BE APPROVED BY SUBDIVISIONS ENGINEER FOR NEW SUBDIVISION WORKS.
  2. CONDUITS TO EXTEND TO 1500mm BEHIND BACK OF KERB, GAS CONDUIT TO EXTEND 300mm INTO THE ALLOTMENT WHERE FOOTPATH IS TO BE CONSTRUCTED AND 300mm PAST OFF STREET PARKING BAYS.
  3. CONDUITS TO BE 300mm PVC CLASS 12 IN INDUSTRIAL AND COMMERCIAL ESTATES.
  4. APPROVAL FROM WYNDHAM CITY COUNCIL'S INFRASTRUCTURE ENGINEER AND THE APPROPRIATE SERVICE AUTHORITY IS REQUIRED IF THERE ARE ANY CHANGES TO SERVICE OFFSETS.
  5. CRUSHED ROCK BACKFILL FOR GAS & WATER TRENCH.

