



Drawing name: M:\Engineering Services\Engineering Design Projects\RESOURCE References\WCC Standard Drawings\SD5-16.dwg (28 May, 2024)



**SECTION VIEW
CLASS B**

**SECTION VIEW
CLASS B**

**SECTION VIEW
CLASS D**



**CLASS B
JUNCTION PIT
COVER PLAN**

**CLASS B
JUNCTION PIT
COVER PLAN**

**CLASS D
JUNCTION PIT
COVER PLAN**

NOTES :

1. ALL JUNCTION PIT COVERS, INSERTS, FRAMES, LIFTING KEYHOLES AND LUGS SHALL COMPLY WITH AS 3996.
2. CLASS D HEAVY DUTY JUNCTION PIT COVER TO BE USED WHERE;
 - JUNCTION PITS ARE LOCATED WITHIN THE ROAD PAVEMENT.
 - JUNCTION PITS ARE LOCATED WITHIN 0.75m OF INDUSTRIAL VEHICLE CROSSINGS.
 - AS SPECIFIED OR DIRECTED BY WYNDHAM CITY COUNCIL.
 - JUNCTION PIT COVER IS POSSIBLY SUBJECTED TO HEAVY TRAFFIC.
3. JUNCTION PIT COVERS TO BE A WYNDHAM CITY COUNCIL APPROVED TYPE AND MODEL. REFER TO NOTES 8 & 9 OF SD1-1.
4. PIT COVERS TO BE IMPRINTED WITH THE CLASS OF THE COVER AND WEIGHT.
5. WHERE POLYMERIC PIT COVERS ARE USED, THEY ARE TO BE FITTED WITH AN APPROVED LOCKING DEVICE AND INSTALLED TO OPEN ON THE VERGE SIDE OF THE ROAD.
6. WHERE POLYMERIC PIT COVERS ARE USED, THEY ARE TO BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S SPECIFICATIONS AND HAVE A CLEAR OPENING OF 900mm X 600mm.
7. CONCRETE PIT COVERS TO BE INSTALLED ON A 5mm BED OF MORTAR.

REV	AMENDMENTS	APPROVAL	DATE
B	MINOR DRAFTING MODIFICATIONS		12-06-08
C	UPDATED TO REFLECT CURRENT STANDARDS	M.BRIGANDI	21-05-24

**JUNCTION PIT COVERS
INSERT & FRAME**

45 PRINCES HIGHWAY
WERRIBEE, VIC 3030

TEL: 1300 023 411
wyndham.vic.gov.au

CAD FILE: SD5-16.DWG
DRAWN DATE: FEB 2024
REVISION: C
DRAWING NO.: SD5-16

GENERAL NOTES: -DRAWINGS ARE NOT TO SCALE.
 -ALL MEASUREMENTS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
 -FOR UP TO DATE DRAWINGS PLEASE CHECK WYNDHAM CITY COUNCIL WEBSITE.
 -ALL STANDARD DRAWINGS TO BE USED IN CONJUNCTION WITH SD1-1 (STANDARD DRAWINGS CONDITIONS OF USE).